

## CONCEALED SPOTLIGHT

### Giove

#### Description:

Round shaped LED spotlight, interlocking installation, direct light.

Body: die-cast aluminum body and ring, white painted with UV stabilized epoxy powders, thermosetting at 180 °, after degreasing, phosphorization and washing treatment.

Optical unit: internal reflector in pure anodized aluminum. VTR diffuser in transparent glass

Dimensions	
<b>Giove Small</b>	120 x 70mm (Standard)
<b>Giove Medium</b>	160 x 100mm (Standard)
<b>Giove Maxi</b>	205 x 100mm (standard)
<b>Giove Large</b>	230 x 100mm (standard)



## CEILING LIGHT DIFFUSER

### Roundabout


#### Description:

Universal and multifunctional device with direct LED light, suitable for installation on multiple false ceilings:

- Modular panels with visible warping
- - modular panels with hidden warping
- - plasterboard ceilings

Optical unit: available with OPA METHACRYLATE or MICROPRISMATIC POLYCARBONATE optic

Dimensions	
<b>Roundabout</b>	596 x 596 x 106H mm (Standard)




## Plan LED

### Description:

LED luminaire, direct light, suitable for installation on modular panels with hidden wiring.

Body: supporting body and front panel made of sheet steel, white lacquered (RAL 9003) with thermosetting epoxy powders at 180 ° C, after degreasing, phosphating and washing treatment.

Dimensions	
Plan LED	620 x 620 x 106H mm (Standard)
Plan LED	320 X 1220 X 106H mm (Standard)



## STRIP LIGHT LED FIXTURE

### Way LED

#### Description:

Modular LED system, complemented by an extruded aluminum profile. Its versatility allows for recessed, surface-mounted, suspended, open and floor installation, in single or continuous row thanks to special accessories.

Body: 6060 T5 aluminum alloy profile, painted in "dry" white with thermosetting epoxy powders at 180 °, after degreasing, phosphating and washing treatment. A dry gray and dry black color and other colors according to the RAL range are available.

Optical unit: POLYCARBONATE optic

Dimensions	
Wave	50 x 565 x 78H mm (Standard)
Wave	50 x 1130 x 78 H mm (Standard)
Wave	50 x 1695 x 78 H mm (standard)
Wave	50 x 2260 x 78 H mm (standard)
Wave	50 x 2825 x 78 H mm (standard)

