



## Laminar Ceiling Ventilation System

### Description:



Transforma provides a unidirectional Operation Room ceiling filtration system that offers a controlled distribution of filtered air, thanks to absolute filters positioned above the operating theater. The frame and filters are made of anodized aluminum with H14 filters, with all pieces fixed together in a perfectly planar manner for ease of cleaning. The diffuser is modular to make transportation and installation operations easier in the case that the system is not supplied as one piece.





Dimensions					
Type	Dimension (mm)			Nominal Air Flow Rate (Q)	
Reference	A	B	C	m <sup>3</sup> /h	liter/s
18/18	1820	1820	360	1500	416
20/21	2000	2150	420	2350	652
21/23	2150	2300	420	2700	750
23/27	2300	2800	420	3700	1028

\*Could be delivered as 1 piece or 2 pieces; upon client request and site situation.



Technical Data	
Laminar Ceiling Frame	Anodized Aluminum
Laminar Ceiling Perforated Diffusers	Anodized Aluminum <b>Option:</b> Stainless Steel
Plenum	Polystyrene

<b>HEPA Filters</b>	H14 Filters (Standard), tested and packaged in clean environments: <ul style="list-style-type: none"><li>- 6 filters option (available)</li><li>- 8 filters option (available)</li></ul>
<b>Country of Origin</b>	Italy

**Standards & Certification:**

- ISO 14644 from class 6 to 8